



ELSEVIER

Linear Algebra and its Applications 280 (1998) 341–356

---

---

LINEAR ALGEBRA  
AND ITS  
APPLICATIONS

---

---

## Author index to volumes 261–280

- Abdel-Ghaffar, K.A.S., Long division for Laurent series matrices and the optimal assignment problem 280 (1998) 189
- Adukov, V.M., Generalized inversion of block Toeplitz matrices 274 (1998) 85–124
- Agler, J., J.W. Helton and M. Stankus, Classification of hereditary matrices 274 (1998) 125–160
- Ahmad, F., *see* Jonckheere, E.A. 279 (1998) 227
- Ahues, M. and B. Limaye, On error bounds for Eigenvalues of matrix pencil 268 (1998) 71–89
- Alić, M., B. Mond, J. Pečarić, and V. Volenec, The arithmetic-geometric-harmonic-mean and related Matrix Inequalities 264 (1997) 55–62
- Alpargu, G., *see* Watson, G.S. 264 (1997) 13–53
- Alpay, D., V. Bolotnikov and P. Loubaton, On a new positive extension problem for block Toeplitz matrices 268 (1998) 247–287
- Ambikumar, S. and S.W. Drury, Some remarks on a conjecture of boyle and handel-man 264 (1997) 63–99
- Anderson, T.W. and M.A. Stephens, The continuous and discrete Brownian bridges: representations and applications 264 (1997) 145–171
- Anderson, E.J., Goberna, M.A. and M. López, Locally polyhedral linear inequality systems 270 (1998) 231–253
- Antoulas, A.C., Approximation of linear operators in the 2-norm 278 (1998) 309
- Appleby, G.D., Similarity classes for Nilpotent operators over Dedekind domains 274 (1998) 37–59
- Ara, P., K.R. Goodeari, K.C. O'Meara and E. Pardo, Diagonalization of matrices over regular rings 265 (1997) 147–163
- Arens, R. and M. Goldberg, Multilinear operators and weighted  $I_1$  norms 267 (1997) 1–10
- Ashikhmin, A. and J. Simonis, On the delarte inequalities 269 (1998) 197–217
- Avdelas, G. and A. Hadjidimos, Optimal 2-cyclic MSOR for “Bowtie” spectra and the “Continuous” manteuffel algorithm 265 (1997) 29–54
- Bauer, F.L., Olga Taussky-Todd 30.8.1906–7.10.1995 280 (1998) 9
- Bai, Z.-Z., Parallel hybrid algebraic multilevel iterative methods 267 (1997) 281–315
- Bai, Z.-Z., A class of iteration methods based on the Moser formula for nonlinear equations in Markov Chains 266 (1997) 219–241
- Ballalij, M. and H. Sadok, New interpretation of related Huang's methods 269 (1998) 183–195
- Bapat, R.B., Structure of a nonnegative regular matrix and its generalized inverses 268 (1998) 31–39
- Bapat, R.B., S.K. Jain and L.E. Snyder, Non-negative idempotent matrices and the minus partial order 261 (1997) 143–154
- Bapat, R.B., A max version of the Perron-Frobenius theorem 275–276 (1998) 3
- Barioli, F., Completely positive matrices with a book-graph 277 (1998) 11
- Barnabei, M. and L.B. Montefusco, Recursive properties of Toeplitz and Hurwitz matrices 274 (1998) 367–388
- Barobia, A. and R. Cantó, Matrix scaling: A geometric proof of Sinkhorn's Theorem 268 (1998) 1–8
- Barry, W.P., *see* Gilbert, J.R. 262 (1997) 83–97
- Bart, H., L. Kroon and R. Zuidwijk, Quasi-complete factorization and the two machine flow shop problem 278 (1998) 195
- Basilio, J.C. and B. Kouvaritakis, An algorithm for coprime matrix fraction description using Sylvester matrices 266 (1997) 107–125

- Beasley, L.B. and S. Kirkland, On the exponent of a primitive matrix containing a primitive submatrix 261 (1997) 195–205
- Bebiano, N. and J. Da Providência, On the dual of a result of Miranda and Thompson 262 (1997) 119–129
- Bekker, P.A. and J.M.F. Ten Berge, Generic global identification in factor analysis 264 (1997) 255–263
- Benner, P. and F. Heike, An implicitly restarted symplectic Lanczos method for the Hamiltonian Eigenvalue Problem 263 (1997) 75–111
- Benner, P. and H. Faßbender, The symplectic eigenvalue problem, the butterfly form, the SR algorithm, and the Lanczos method 275–276 (1998) 19
- Benner, P., H. Fassbender and D.S. Watkins, Two connections between the SR and HR Eigenvalue algorithms 272 (1998) 17–32
- Ben-Or, M., *see* Feig, E. 266 (1997) 81–106
- Berg, L. and G. Plonka, Compactly supported solutions of two-scale difference equations 275–276 (1998) 49
- Bernhardsson, B., A. Rantzer and L. Qui, Real perturbation values and real quadratic forms in a complex vector space 270 (1998) 131–154
- Bevis, J.H., K.B. Kevin, G.J. Davis, S.D. Gayla and A.M. Valerie, The rank of a graph after vertex addition 265 (1997) 55–69
- Bhimasankaram, P. and R. SahaRay, On a partitioned linear model and some associated reduced models 264 (1997) 329–339
- Bilir, B. and C. Chicone, A generalization of the inertia theorem for quadratic matrix polynomials 280 (1998) 229
- Bini, D.A. and B. Meini, Inverting block toeplitz matrices in block Hessenberg form by means of displacement operators: application to queueing problems 272 (1998) 1–16
- Blount, K.K., *see* Bevis, J.H. 265 (1997) 55–69
- Boasso, E., Joint spectra and nilpotent Lie algebras of linear transformations 263 (1997) 49–62
- Bojanczyk, A., *see* Heinig, G. 278 (1998) 11
- Boley, D.L., The algebraic structure of pencils and block Toeplitz matrices 279 (1998) 255
- Bolla, M., G. Michaletzky, G. Tusnády, and M. Ziermann, Extrema of sums of heterogeneous quadratic forms 269 (1998) 331–365
- Bolotnikov, V., *see* Alpay, D. 268 (1998) 247–287
- Bolshakov, Y., C.V.M. van der Mee, A.C.M. Ran, B. Reichstein and L. Rodman, Polar decompositions in finite dimensional indefinite scalar product spaces: general theory 261 (1997) 91–141
- Boon Soh, C., *see* Dong, X.-D. 277 (1998) 57
- Borobia, A. and J. Moro, On nonnegative matrices similar to positive matrices 266 (1997) 365–379
- Borobia, A. and J. Moro, On the boundary of the set of real spectra of nonnegative matrices 278 (1998) 287
- Borobia, A., *see* Kästner, J. 278 (1998) 133
- Botha, J.D., Products of diagonalizable matrices 273 (1998) 65–82
- Bouchet, A., Multimatroids IV. Chain-group representations 277 (1998) 271
- Böttcher, A. and S.M. Grudsky, On the condition numbers of large semi-definite Toeplitz matrices 279 (1998) 285
- Brualdi, R.A. and H. Schneider, Preface 280 (1998) 1
- Bultheel, A., *see* Van, B.M. 266 (1997) 291–335
- Burrage, K., Z. Jackiewicz and B. Welfert, Block-Toeplitz preconditioning for static and dynamic linear systems 279 (1998) 51
- Bussemaker, F., I. Kaplansky, B. McKay and J. Seidel, Determinants of matrices of the conference type 261 (1997) 275–292
- Cain, B., L.M. DeAlba, L. Hogben and C.R. Johnson, Multiplicative perturbations of stable and convergent operators 268 (1998) 151–69
- Cantó, R., *see* Borobia, A. 268 (1998) 1–8
- Cao, C. and Z. Xian, Multiplicative semigroup automorphisms of upper triangular matrices over rings 278 (1998) 85
- Cao, D., Bounds on Eigenvalues and chromatic numbers 270 (1998) 1–13
- Cao, Z.-H., Avoiding breakdown in variants of the BI-CGSTAB algorithm 263 (1997) 113–132
- Carriegos, M., J.A. Hermida-Alonso and T. Sánchez-Giralda, The pointwise feedback relation for linear dynamical systems 279 (1998) 119
- Carvalho, M.L., A joint estimator for the Eigenvalues of the reproduction mean

- matrix of a multitype Galton-Watson process 264 (1997) 189-203
- Chaganty, N.R. and A.K. Vaish, An invariance property of common statistical tests 264 (1997) 421-437
- Chalmers, B. and B. Shekhtman, Actions that characterize  $l_{\infty}^{(n)}$  270 (1998) 155-169
- Chan, O. and T.K. Lam, Hook immanantal inequalities for laplacians of trees 261 (1997) 23-47
- Chan, O. and T.K. Lam, Hook immanantal inequalities for trees explained 273 (1998) 119-131
- Charles, J., *see* Seddik, A. 274 (1998) 77-83
- Chen, G. and Y. Hu, The truncated Hamburger matrix moment problems in the nondegenerate and degenerate cases, and matrix continued fractions 277 (1998) 199
- Chen, G.-N., The general rational interpolation problem and its connection with the Nevanlinna-Pick interpolation and power moment problem 273 (1998) 83-117
- Chen, X. and R.E. Hartwig, On the convergence of power scaled Cesáro sums 267 (1997) 335-358
- Chen, Z. and W. Li, A note on nonnegative normal matrices 279 (1998) 281
- Cheng, B. and B. Liu, Matrices of zeros and ones with the maximum jump number 277 (1998) 83
- Cheng, H., *see* Wong, C.S. 261 (1997) 187-194
- Cheng, H.-W. and S.-T. Yau, More explicit formulas for the matrix exponential 262 (1997) 131-63
- Cheng, S.H., *see* Higham, N.J. 275-276 (1998) 261
- Cheon, G.-S. and S.-Z. Song, On the extreme points of the majorization polytope  $\Omega_3(y \prec x)$  269 (1998) 47-52
- Chicone, C., *see* Bilir, B. 280 (1998) 229
- Chien, M.-T., L. Yeh, Y.-T. Yeh, and F.-Z. Lin, On geometric properties of the numerical range 274 (1998) 389-410
- Chikuse, Y., Density estimation on the spaces of symmetric and rectangular matrices 264 (1997) 265-290
- Ching, W.K., Circulant preconditioners for failure prone manufacturing systems 266 (1997) 161-180
- Chkliar, V., Numerical radii of simple powers 265 (1997) 119-121
- Chooi, W.L. and M.H. Lim, Linear preservers on triangular matrices 269 (1998) 241-255
- Chu, D., *see* Hung, Y.S. 271 (1998) 117-138
- Chu, D.L., *see* Hung Y.S. 270 (1998) 287-313
- Chu, M.T., On the optimal consistent approximation to pairwise comparison matrices 272 (1998) 155-168
- Climent, J.-J. and C. Perea, Some comparison theorems for weak nonnegative splittings of bounded operators 275-276 (1998) 77
- Codenotti, B., V. Crespi and G. Resta, On the permanent of certain (0, 1) Toeplitz matrices 267 (1997) 65-100
- Coleman, T., C.-K. Li, M. Lundquist and T. Trivison, Isometries for the induced  $c$ -Norm on square matrices and some related results 271 (1998) 235-256
- Cooperman, G., Practical task-oriented parallelism for Gaussian elimination in distributed memory 275-276 (1998) 107
- Cooperstein, B.N., External flats to varieties in  $PG(M_{n,n}GF(q))$  267 (1997) 175-186
- Coppersmith, D., A.J. Hoffman and U.G. Rothblum, Inequalities of Rayleigh quotients and bounds on the spectral radius of nonnegative symmetric matrices 263 (1997) 201-220
- Crespi, V., *see* Codenotti, B. 267 (1997) 65-100
- Cross, R.W., An index theorem for the product of linear relations 277 (1998) 127
- Cuadras, C.M., *see* Fortiana, J. 264 (1997) 173-188
- Da Fonseca, C.M., The inertia of certain Hermitian block matrices 274 (1998) 193-210
- Da Providência, J., *see* Bebiano, N. 262 (1997) 119-129
- Da Silva, D.A.D., F. Rosário and A. Fonseca, The covering number of the elements of a matroid and generalized matrix functions 271 (1998) 191-219
- Dahl, G., Majorization, polyhedra, and statistical testing problems 272 (1998) 205-225
- D'Alessandro, D., Invariant manifolds and projective combinations of solutions of the Riccati differential equation 279 (1998) 181
- Daniel, P., *see* Hwang, T. -M. 261 (1997) 173-186
- Datta, K., Y. Hong and R. Lee, Applications of linear transformations to matrix equations 267 (1997) 221-240



- Dauxois, J. and G.M. Nkiet, Canonical analysis of two Euclidean subspaces and its applications 264 (1997) 355-388
- Davis, G.J., *see* Bevis, J.H. 265 (1997) 55-69
- Day, J., W. So and R.C. Thompson, The spectrum of a Hermitian matrix sum 280 (1998) 289
- Dazard, J., Comparison of two norms of matrices 280 (1998) 173
- De Moor, B., *see* De Schutter, B. 261 (1997) 237-250
- De Pierro, A.R. and M. Wei, Reverse order law for reflexive generalized inverses of products of matrices 277 (1998) 299
- De Pierro, A.R., *see* Wei, M. 279 (1998) 135
- De Schutter, B. and B. De Moor, A note on the characteristic equation in the max-plus algebra 261 (1997) 237-250
- DeAlba, L.M., *see* Cain, B. 268 (1998) 151-69
- Dedieu, J.-P., Condition operators, condition numbers, and condition number theorem for the generalized Eigenvalue problem 263 (1997) 1-24
- Dekimpe, K., P. Igodt and O. Veerle, The five-dimensional complete left-symmetric algebra structures compatible with an abelian lie algebra structure 263 (1997) 349-375
- Di Benedetto, F., Generalized updating problems and computation of the Eigenvalues of rational Toeplitz matrices 267 (1997) 187-219
- Di Fiore, C. and P. Zellini, Matrix displacement decompositions and applications to Toeplitz linear systems 268 (1998) 197-225
- Didenko, V.D. and B. Silbermann, Extension of  $C^*$ -algebras and Moore-Penrose stability of sequences of additive operators 275-276 (1998) 121
- Ding, J. and L.J. Huang, On the continuity of generalized inverses of linear operators in Hilbert spaces 262 (1997) 229-242
- Ding, J. and W. Hang, New perturbation results for equality-constrained least squares problems 272 (1998) 181-192
- Domke, G.S., *see* Bevis, J.H. 265 (1997) 55-69
- Dong, X.-D., C. Boon Soh and E. Gunawan, Matrix characterization of MDS linear codes over modules 277 (1998) 57
- Dorier, J.-L., The role of formalism in the teaching of the theory of vector spaces 275-276 (1998) 141
- Dress, A., *see* Kästner, J. 278 (1998) 133
- Drillon, I.S., *see* Parlett, B.N. 267 (1997) 247-279
- Drury, S.W., *see* Ambikumar, S. 264 (1997) 63-99
- Drury, S.W., Trace class multipliers and spectral variation of normal matrices 280 (1998) 217
- Edelman, A., *see* Ma, Y. 273 (1998) 45-63
- El-sayed, S.M., *see* Ivanov, I.G. 279 (1998) 303
- Elsner, L. and D. Hershkowitz, Hadamard functions preserving nonnegative H-matrices 279 (1998) 13
- Elsner, L., R. Nabben and M. Neumann, Orthogonal bases that lead to symmetric nonnegative matrices 271 (1998) 321-341
- Emamy-K, M.R., *see* Kalantari, B. 262 (1997) 283-306
- Faßbender, H., *see* Benner, P. 275-276 (1998) 19
- Falikman, D., Inequalities for permanents of Hermitian matrices 263 (1997) 63-74
- Fallat, S.M., C.R. Johnson, R.L. Smith and P. van den Driessche, Eigenvalue location for nonnegative and Z-matrices 277 (1998) 187
- Farebrother, R.W., A.C. Aitken and the consolidation of matrix theory 264 (1977) 3-12
- Farid, F.O., Topics on a generalization of Gershgorin's Theorem 268 (1998) 91-116
- Fassbender, H., *see* Benner, P. 272 (1998) 17-32
- Feig, E. and M. Ben-Or, On algebras related to the discrete cosine transform 266 (1997) 81-106
- Fernández, J.C.G., Structure of Bernstein populations of Type (3,  $n-3$ ) 269 (1998) 17-32
- Ferrante, A. and B.C. Levy, Canonical form of symplectic matrix pencils 274 (1998) 259-300
- Ferrer, J., F. Puerta and X. Puerta, Differentiable structure of the set of controllable  $(A, B)^l$ -invariant subspaces 275-276 (1998) 161
- Fiedler, M. and T.L. Markham, Consecutive-column and-row properties of matrices and the Loewner-Neville factorization 266 (1997) 243-259
- Fiedler, M., Some characterizations of symmetric inverse  $M$ -matrices 275-276 (1998) 179
- Fischer, K., W. Morris and J. Shapiro, Mixed dominating matrices 270 (1998) 191-214

- Fleischmann, P., I. Janiszczak and R. Knörr, The number of regular semisimple classes of special linear and unitary groups 274 (1998) 17–26
- Fleming, R., G. Grossman, T. Lenker, S. Narayan and S.-C. Ong, On Schur  $D$ -stable matrices 279 (1998) 39
- Fonseca, A., *see* Da Silva, D.A.D. 271 (1998) 191–219
- Fornasini, E. and M.E. Valcher, Directed graphs, 2D state models, and characteristic polynomials of irreducible matrix pairs 263 (1997) 275–310
- Förster, K.-H. and B. Nagy, Local spectral radii and Collatz-Wielandt Numbers of Monic operator polynomials with nonnegative coefficients 268 (1998) 41–57
- Förster, K.-H. and B. Nagy, Spectral properties of rational matrix functions with nonnegative realizations 275–276 (1998) 189
- Fortiana, J. and C.M. Cuadras, A family of matrices, the discretized Brownian bridge, and distance-based regression 264 (1997) 173–188
- Friedland, S., Computing the Hausdorff dimension of subshifts using matrices 273 (1998) 133–167
- Friedman, J., Error bounds on the power method for determining the largest eigenvalue of a symmetric, positive definite matrix 280 (1998) 199
- Friertinger, H., Cycle indices of linear, affine and projective groups 263 (1997) 133–156
- Fritzsche, B., B. Kirstein and V. Krug, On Arov-normalized  $j_{qq}$ - $J_q$ -elementary factors 267 (1997) 11–40
- Fuhrmann, P.A., *see* Helmke, U. 271 (1998) 117–138
- Fujishige, S. and Z. Yang, A lexicographic algebraic theorem and its applications 279 (1998) 75
- Gómez, J.R., A. Jiménez-Merchán and J. Núñez-Valdés, An algorithm to obtain laws of families of filiform Lie algebras 279 (1998) 1
- Galanis, S., A. Hadjidimos and D. Noutsos, Optimal  $p$ -cyclic SOR for complex spectra: 263 (1997) 233
- Galindo, A.M. and A.R. Palacios, Algebra norms on tensor products of algebras, and the norm extension problem 269 (1998) 257–305
- Galkowski, K., E. Rogers and D.H. Owens, Matrix rank based conditions for reachability/controllability of discrete linear repetitive processes 275–276 (1998) 201
- GarcíaSanchez, P.A., *see* Anderson, E.J. 270 (1998) 231–253
- Gemignani, L., A fast algorithm for generalized Hankel matrices arising in finite-moment problems 267 (1997) 41–52
- Gilbert, J.R., E.G. Ng and W.P. Barry, Separators and structure prediction in sparse orthogonal factorization 262 (1997) 83–97
- Gladwell, G.M.L., Total positivity and the QR algorithm 271 (1998) 257
- Godunov, S.K. and M. Sadkane, Computation of pseudospectra via spectral projectors 279 (1998) 163
- Goh, S.S. and V.B. Yap, Matrix extension of biorthogonal multiwavelet construction 269 (1998) 139–157
- Gohberg, I., M.A. Kaashoek and F. van Schagen, Operator blocks and quadruples of subspaces: classification and the Eigenvalue completion problem 269 (1998) 65–89
- Goldberg, M., *see* Arens, R. 267 (1997) 1–10
- Golumbic, M.C., Matrix sandwich problems 277 (1998) 239
- Gonzaga, C.C. and J.L. Hugo, A note on properties of condition numbers 261 (1997) 269–273
- Goodeari, K.R., *see* Ara, P. 265 (1997) 147–163
- Goreinov S.A., E.E. Tytshnikov and N.L. Zamarashkin, A theory of pseudoskeleton approximations 261 (1997) 1–21
- Govaerts, W., Defining functions for manifolds of matrices 266 (1997) 49–68
- Gowda, S.M., *see* Jones, C. 272 (1998) 33–44
- Gower, J.C. and B. Zeilman, Orthogonality and its approximation in the analysis of asymmetry 278 (1998) 183
- Grady, M. and N. Morris, The geometry of an interchange: minimal matrices and circulants 262 (1997) 11–25
- Groß, J. and S.-O. Troschke, Some remarks on partial orderings of nonnegative definite matrices 264 (1997) 457–461
- Groß, J., On semi-star-related matrices 264 (1997) 495–503

- Groß, J., Special generalized inverse matrices connected with the theory of unified least squares 264 (1997) 325-327
- Groß, J. and G. Trenkler, Generalized and hypergeneralized projectors 264 (1997) 463-474
- Grossman, G., *see* Fleming, R. 279 (1998) 39
- Grudsky, S.M., *see* Böttcher, A. 279 (1998) 285
- Gunawan, E., *see* Dong, X.-D. 277 (1998) 57
- Gutkin, E., *see* Jonckheere, E.A. 279 (1998) 227
- Györy, M., L. Molnár and P. Šemrl, Linear rank and corank preserving maps on  $\mathcal{B}(H)$  and an application to  $*$ -semigroup isomorphisms of operator ideals 280 (1998) 253
- Hadjicostas, P., Copositive matrices and Simpson's paradox 264 (1997) 475-488
- Hadjidimos, A., *see* Avdelas, G. 265 (1997) 29-54
- Hadjidimos, A., *see* Galanis, S. 263 (1997) 233-260
- Hang, W., *see* Ding, J. 272 (1998) 181-192
- Hanlon, P., To the Latimer-Macduffee theorem and beyond! 280 (1998) 21
- Hanna, L.A.-M., M.E. Khalifa and S.S. Hassan, On representations of Lie algebras for quantized hamiltonians 266 (1997) 69-79
- Harada, M., *see* Li, B. 271 (1998) 179-190
- Hartfiel, D.J. and C.D. Meyer, On the structure of stochastic matrices with a subdominant Eigenvalue near 1 272 (1998) 193-203
- Hartfiel, D.J. and U.J. Rothblum, Convergence of inhomogenous products of matrices and coefficients of ergodicity 277 (1998) 1
- Hartfiel, D.J., Eigenvector sets for intervals of matrices 262 (1997) 1-10
- Hartwig, R.E., *see* Chen, X. 267 (1997) 335-358
- Harville, D.A. and O. Kempthorne, An alternative way to establish the necessity part of the classical result on the statistical independence of quadratic forms 205-215
- Hassan, S.S., *see* Hanna, L.A.-M. 266 (1997) 69-79
- Havlíček, M., J. Patera and E. Pelantová, On Lie gradings II 277 (1998) 97
- Heike, F., *see* Benner, P. 263 (1997) 75-111
- Heinig, G. and A. Bojanczyk, Transformation techniques for Toeplitz and Toeplitz-plus-Hankel matrices II. Algorithms 278 (1998) 11
- Heinig, G. and K. Rost, Representations of Toeplitz-plus-Hankel matrices using trigonometric transformations with application to fast matrix-vector multiplication 275-276 (1998) 225
- Heinig, G., Generalized Cauchy-Vandermonde matrices 270 (1998) 45-77
- Heinig, G., Matrices with higher order displacement structure 278 (1998) 295
- Helmke, U. and P.A. Fuhrmann, Tangent spaces of rational matrix functions 271 (1998) 1-40
- Helton, J.W., *see* Agler, J. 274 (1998) 125-160
- Hermida-Alonso, J.A., *see* Carriegos, M. 279 (1998) 119
- Hershkowitz, D., *see* Elsner, L. 279 (1998) 13
- Hershkowitz, D., A.J. Hoffman and H. Schneider, On the existence of sequences and matrices with prescribed partial sums of elements 265 (1997) 71-92
- Hershkowitz, D., On cones and stability 275-276 (1998) 249
- Heyouni, M. and H. Sadok, On a variable smoothing procedure for Krylov subspace methods 268 (1998) 131-149
- Higham, N.J. and S.H. Cheng, Modifying the inertia of matrices arising in optimization 275-276 (1998) 261
- Hillman, J.A., B.R.F. Jefferies, W.J. Ricker and B. Straub, Differential properties of the numerical range map of pairs of matrices 267 (1997) 317-334
- Hjorth, P., P. Lisoněk, S. Markvorsen and C. Thomassen, Finite metric spaces of strictly negative type 270 (1998) 255-273
- Hoffman, A.J., *see* Coppersmith, D. 263 (1997) 201-220
- Hoffman, A.J., *see* Hershkowitz, D. 265 (1997) 71-92
- Hoffmann, J., D. Prätzel-Wolters and E. Zerz, A balanced canonical form for discrete-time minimal systems using characteristic maps 277 (1998) 63
- Hoffmann, W., The Gauss-Huard algorithm and LU factorization 275-276 (1998) 281
- Hoffman, A., What Olga did for me 280 (1998) 13
- Hogben, L., *see* Cain, B. 268 (1998) 151-69
- Hong, S.-F. and M.-C. Zhang, On the structure rank of a class of structure matrices 268 (1998) 355-364
- Hong, Y., *see* Datta, K. 267 (1997) 221-240

- Horn, R.A., N.H. Rhee and S. Wasin, Eigenvalue inequalities and equalities 270 (1998) 29-44
- Horne, B.G., Lower bounds for the spectral radius of a matrix 263 (1997) 261-273
- Hu, T. and L. Qiu, On structured perturbation of Hermitian matrices 275-276 (1998) 287
- Hugo, J.L., *see* Gonzaga, C.C. 261 (1997) 269-273
- Hu, Y., *see* Chen, G. 277 (1998) 199
- Huang, L.J., *see* Ding, J. 262 (1997) 229-242
- Huckle, T., Computations with Gohberg-Se-mencul-type formulas for Toeplitz matrices 273 (1998) 169-198
- Humphries, S.P., Cogrowth of groups and a matrix of Redheffer 265 (1997) 101-117
- Hung, Y.S. and D. Chu, On extended  $(J, J')$ -lossless factorization 271 (1998) 117-138
- Hung, Y.S. and D.L. Chu, Relationships between discrete-time and continuous-time algebraic Riccati Inequalities 270 (1998) 287-313
- Hwang, T.-M., W.-W. Lin, and P. Daniel, Improved bound for rank revealing LU factorizations 261 (1997) 173-186
- Hwang, F.K., S. Onn and U.G. Rothblum, Representations and characterizations of vertices of bounded-shape partition polytopes 278 (1998) 1
- Hwang, S.-G., *see* Shao, J.-Y. 279 (1998) 207
- Igodi, P., *see* Dekimpe, K. 263 (1997) 349-375
- Im, E.I., Narrower Eigenbounds for Hadamard products 264 (1997) 141-144
- Insel, A.J., Levels of subnormality 262 (1997) 27-53
- Ionescu, V., Time-varying discrete Riccati equation in terms of Ben Artzi-Gohberg dichotomy 277 (1998) 313
- Ito, H., A new statement about the theorem determining the region of Eigenvalues of stochastic matrices 267 (1997) 241-246
- Ivanov, I.G. and S.M. El-sayed, Properties of positive definite solutions of the equation  $X + A^*X^{-2}A = I$  279 (1998) 303
- Iwata, S., Block triangularization of skew-symmetric matrices 273 (1998) 215-226
- Iwata, S., D.D. Olesky and P. van den Driessche, Patterns that preserve sparsity in orthogonal factorization 268 (1998) 345-354
- Jackiewicz, Z., *see* Burrage, K. 279 (1998) 51
- Jain, S.K., *see* Bapat, R.B. 261 (1997) 143-154
- Jang, H.-J., A constrained least-squares approach to the rapid reanalysis of structures, 265 (1997) 185-202
- Janiszczak, I., *see* Fleischmann, P. 274 (1998) 17-26
- Jefferies, B.R.F., *see* Hillman, J.A. 267 (1997) 317-334
- Jensen, D.R., Bounds on Mahalanobis norms and their applications 264 (1997) 127-139
- Ji, C. *see* Shivakumar, P.N. 273 (1998) 29-43
- Jia, Z., A refined iterative algorithm based on the Block Arnoldi Process for large unsymmetric Eigenproblems 270 (1998) 171-189
- Jiang, E. and P.C.B. Lam, An upper bound for the spectral condition number of a diagonalizable matrix 262 (1997) 165-178
- Jiang, E., Challenging eigenvalue perturbation problems 278 (1998) 303
- Jiménez-Merchán, A., *see* Gómez, J.R. 279 (1998) 1
- Johnson, C.R. *see* Fallat, S.M. 277 (1998) 187
- Johnson, C.R. and M. Lundquist, Local inversion of matrices with sparse inverses 277 (1998) 33
- Johnson, C.R. and T. Szulc, Further lower bounds for the smallest singular value 272 (1998) 169-179
- Johnson, C.R., Maybee, S.J., D.D. Olesky and P. van den Driessche, Nested Sequences of Principal Minors and Potential Stability 262 (1997) 243-257
- Johnson, C.R., *see* Cain, B. 268 (1998) 151-69
- Johnson, C.R., Olga, matrix theory and the Taussky unification problem 280 (1998) 39
- Jonckheere, E.A., F. Ahmad and E. Gutkin, Differential topology of numerical range 279 (1998) 227
- Jones, C. and S.M. Gowda, On the connectedness of solution sets in linear complementarity problems 272 (1998) 33-44
- Jordán, C., J.R. Torregrosa and A. Urbano, An algorithm for nilpotent completions of partial Jordan matrices 275-276 (1998) 315
- Junghanns, P. and U. Luther, Uniform convergence of a fast algorithm for Cauchy singular integral equations 275-276 (1998) 327



- Kästner, J., A. Borobia, A. Dress and C. Zylka, Extremal majorizing and anti-majorizing matrices 278 (1998) 133
- Kaashoek, M.A., *see* Gohberg, I. 269 (1998) 65–89
- Kailath, T. and V. Olshevsky, Displacement-structure approach to polynomial vandermonde and related matrices 261 (1997) 49–90
- Kalantari, B. and M.R. Emamy-K, On linear programming and matrix scaling over the algebraic numbers 262 (1997) 283–306
- Kaplansky I., *see* Bussemaker, F. 261 (1997) 275–292
- Karuppan Chetty, C.S. and S. Maria Arulraj, Falsity of Wang's conjecture on stars 277 (1998) 49
- Kempthorne O., *see* Harville, D.A. 205–215
- Khalifa, M.E., *see* Hanna, L.A.-M. 266 (1997) 69–79
- Kirkland, S., Perron vector bounds for a tournament matrix with applications to a conjecture of Brualdi and Li 262 (1997) 209–227
- Kirkland, S., *see* Beasley, L.B. 261 (1997) 195–205
- Kirkland, S., *see* Shader, B. 275–276 (1998) 1
- Kirkland, S., A note on perron vectors for almost regular tournament matrices 266 (1997) 43–47
- Kirkland, S., *see* Tasçi, D. 273 (1998) 23–28
- Kirkland, S., Review of non negative matrices and applications 277 (1998) 135
- Kirkland, S.J., M. Neumann and L.S. Bryan, Applications of Paz's Inequality to perturbation bounds for Markov Chains 268 (1998) 183–196
- Kirstein, B., *see* Fritzsche, B. 267 (1997) 11–40
- Knörr, R., *see* Fleischmann, P. 274 (1998) 17–26
- Kohno, T., H. Kotakemori, H. Niki and M. Usui, Improving the modified Gauss-Seidel method for Z-matrices 267 (1997) 113–123
- Kollo, T. and H. Neudecker, The derivative of an orthogonal matrix of eigenvectors of a symmetric matrix 264 (1997) 489–493
- Kolotilina, L.Yu., Eigenvalue bounds and inequalities using vector aggregation of matrices 271 (1998) 139–167
- Kotakemori, H., *see* Kohno, T. 267 (1997) 113–123
- Kouvaritakis, B., *see* Basilio, J.C. 266 (1997) 107–125
- Krafft, O., An arithmetic-harmonic-mean inequality for nonnegative definite matrices 268 (1998) 243–246
- Kratz, W. and D. Liebscher, A local characterization of observability 269 (1998) 115–137
- Krishnamoorthy, S., *see* Meenakshi, A.R. 269 (1998) 219–232
- Kroon, L., *see* Bart, H. 278 (1998) 195
- Krug, V., *see* Fritzsche, B. 267 (1997) 11–40
- Krupnik, I. and P. Lancaster, Linearizations, realization, and scalar products for regular matrix polynomials 272 (1998) 45–57
- Krupnik, M., Jordan structures of upper equivalent matrices 261 (1997) 167–172
- Kuroda, M., A quadratic form  $\text{tr}(AX^2)$  and its application 266 (1997) 181–198
- Kuznetsov, S.V., Perturbation bounds of the Krylov bases and associated Hessenberg forms 265 (1997) 1–28
- Kwak, D.Y., A norm estimate for the ADI method for nonsymmetric problems 266 (1997) 127–141
- Laffey, T.J., Extreme nonnegative matrices 275–276 (1998) 349
- Laffey, T.J., Some aspects of Olga Taussky's work in algebra 280 (1998) 51
- Lai, S.-H. and B.C. Vermuri, Sherman-Morrison-Woodbury-formula-based algorithms for the surface smoothing problem 265 (1997) 203–229
- Lal, A.K., Inequalities for the  $q$ -permanent. II 274 (1998) 1–16
- Lam P., C.B., *see* Jiang, E. 262 (1997) 165–178
- Lam, T.K., *see* Chan, O. 261 (1997) 23–47
- Lam, T.K., *see* Chan, O. 273 (1998) 119–131
- LaMotte, L.R., *see* Volaufová, J. 264 (1997) 247–253
- Lancaster, P., *see* Krupnik, I. 272 (1998) 45–57
- Langer, H., A.C.M. Ran and D. Temme, Non-negative solutions of algebraic riccati equations 261 (1997) 317–352
- Laurent, M., A connection between positive semidefinite and Euclidean distance matrix completion problems 273 (1998) 9–22
- Lavrić, B., Convergence of certain bounded sequences 278 (1998) 1
- Le, B.L., Generating graded central simple algebras 268 (1998) 323–344



- Lee, R.B., *see* Datta, K. 267 (1997) 221–240
- Lee, S.-G., S.W. Park and H.-G. Seol, Linear operators strongly preserving matrices whose sign patterns require the Perron Property 269 (1998) 53–63
- Lei, T.-G. and B.-Y. Wang, Indices and non-zero decomposable elements of a symmetry class of tensors 279 (1998) 21
- Lei, T.-G., Generalized Schur functions and generalized decomposable symmetric tensors 263 (1997) 311–332
- Leibovici, D. and R. Sabetier, A singular value decomposition of a  $k$ -Way array for a principal component analysis multiway data, PTA- $k$  269 (1998) 307–329
- Leibsch, D., *see* Kratz, W. 269 (1998) 115–13
- Leng, G. and Y. Zhang, The generalized sine theorem and inequalities for simplices 278 (1998) 237
- Lenker, T., *see* Fleming, R. 279 (1998) 39
- Levy, B.C., *see* Ferrante, A. 274 (1998) 259–300
- Levy, B.C., A note on the hyperbolic singular value decomposition 277 (1998) 135
- Lewis, A.S., Eigenvalue-constrained faces 269 (1998) 159–181
- Li, B. and M.J. Tsatsomeros, Doubly diagonally dominant matrices 261 (1997) 221–235
- Li, B., L. Li, M. Harada, H. Niki and M.J. Tsatsomeros, An iterative criterion for  $H$ -matrices 271 (1998) 179–190
- Li, C.-K. *see* Coleman, T. 271 (1998) 235–266
- Li, C.-K. and R. Mathias, Generalized Eigenvalues of a definite Hermitian matrix pair 271 (1998) 309–320
- Li, C.-K., I. Spitkovsky and S. Shukla, Equality of higher numerical ranges of matrices and a conjecture of Kippenhahn on Hermitian pencils 270 (1998) 323–349
- Li, C.-K., Review of *Matrix Analysis* by Rajendra Bhatia 273 (1998) 227–229
- Li, J.-S. and Zhang, X.-D., A new upper bound for Eigenvalues of the Laplacian matrix of a graph 265 (1997) 93–100
- Li, L., *see* Zhang, Z. 271 (1998) 169–177
- Li, L., An improvement on Ky Fan's theorem of matrix eigenvalues 279 (1998) 111
- Li, N., A matrix inverse Eigenvalue problem and its application
- Li, Q., *see* Wu, Y. 277 (1998) 41
- Li, R.-C., Relative Perturbation Theory, III. More bounds on Eigenvalue Variation 266 (1997) 337–345
- Li, R.-C. Spectral variations and Hadamard products: Some problems 278 (1998) 317
- Li, W., *see* Chen, Z. 279 (1998) 281
- Lim, M.H., Invertible preservers of certain decomposable tensors 266 (1997) 153–159
- Lim, M.H., *see* Chooi, W.L. 269 (1998) 241–255
- Limaye, B., *see* Ahues, M. 268 (1998) 71–89
- Lin, W.-W., *see*, Hwang, T.-M. 261 (1997) 173–186
- Lin, C.-S., Operator versions of inequalities and equalities on a Hilbert Space 268 (1998) 365–374
- Lin, F.-Z., *see* Chien, M.-T. 274 (1998) 389–410
- Linden, H., Bounds for the zeros of polynomials from Eigenvalues and singular values of some companion matrices 271 (1998) 41–82
- Lisoněk, P., *see* Hjorth, P. 270 (1998) 255–273
- Littleboy, D.M. and N.K. Nichols, Modal coupling in linear control systems using robust eigenstructure assignment 275–276 (1998) 359
- Liu, B., *see* Cheng, B. 277 (1998) 83
- Liu, J. and L. Zhu, A minimum principle and estimates of the Eigenvalues for Schur complements positive semidefinite Hermitian matrices 265 (1997) 123–145
- Liu, M., *see* Zhang, Z. 271 (1998) 169–177
- Liu, W.-M., *see* Wu, Z.-M. 267 (1997) 53–63
- Liu, W.Q. and V. Sreeram, A new characterization on stability bounds for singularly perturbed systems 263 (1997) 377–388
- Logemann, H., Destabilising effects of small time delays on feedback controlled descriptor systems 272 (1998) 131–153
- Loiseau, J.J., S. Mondié, I. Zaballa and P. Zagalak, Assigning the Kronecker invariants of a matrix pencil by row or column completions 278 (1998) 327
- López, M.A., *see* Anderson, E.J. 270 (1998) 231–253
- Lösche, R., H. Schwetlick and G. Timmermann, A modified block Newton iteration for approximating an invariant subspace of a symmetric matrix 275–276 (1998) 381
- Loubaton, P., *see* Alpay, D. 268 (1998) 247–287

- Lu, Y.Y., Exponentials of symmetric matrices through tridiagonal reductions 279 (1998) 317
- Lubary, J.A., Multiplicity of solutions of second-order linear differential equations on networks 274 (1998) 301–315
- Lumsdaine, A. and D. Wu, Spectra and pseudospectra of block Toeplitz matrices 272 (1998) 103–130
- Lundquist, M., *see* Johnson, C.R. 277 (1998) 33
- Lundquist, M., *see* Coleman, T. 271 (1998) 235–226
- Lundy, T.J. and J. Maybee, Uniformly one-connected matrices and their inverses 268 (1998) 227–242
- Lur, Y.-Y., *see* Shih, M.-H. 274 (1998) 27–36
- Luther, U., *see* Junghanns, P. 275–276 (1998) 327
- Ma, Y. and A. Edleman, Non-generic Eigenvalue perturbations of Jordan blocks 273 (1998) 45–63
- Mackens, W. and H. Voss, A projection method for computing the minimum eigenvalue of a symmetric positive definite Toeplitz matrix 275–276 (1998) 401
- Malamud, S.M., On a class of multiparameter perturbations of positive definite operators with fixed bounds on their spectrum 274 (1998) 239–257
- Marcus, M., On a determinant result of I. Olkin 277 (1998) 237
- Maria Arulraj, S., *see* Karuppan Chetty, C.S. 277 (1998) 49
- Markham, T.L., *see* Fiedler, M. 266 (1997) 243–259
- Markvorsen, S., *see* Hjorth, P. 270 (1998) 255–273
- Maroulas, J. and P. Psarrakos, On the connectedness of numerical range of matrix polynomials 280 (1998) 97
- Maroulas, J. and P. Psarrakos, The boundary of the numerical range of matrix polynomials 267 (1997) 101
- Martínez-Legaz, J.-E. and I. Singer, On  $\Phi$ -convexity of convex functions 278 (1998) 163
- Martins, E.A. and F.C. Silva, On the number of invariant polynomials and matrix commutators 262 (1997) 179–188
- Mathai, A.M. and G. Pederzoli, A whittaker function of matrix argument 269 (1998) 91–103
- Mathias, R. and K. Veselic, A relative perturbation bound for positive definite matrices 270 (1998) 315–321
- Mathias, R., *see* Li, C.-K. 271 (1998) 309–320
- Maybee, J., *see* Lundy, T.J. 268 (1998) 227–242
- Maybee, S.J., *see* Johnson, C.R. 262 (1997) 243–257
- McDonald, J.J., D.D. Olesky, M.J. Tsatsomeros and P. van den Driessche, Ray patterns of matrices and nonsingularity 267 (1997) 359–373
- McKay, B., *see* Bussemaker, F. 261 (1997) 275–292
- Mecheri, S., Derivation ranges 279 (1998) 31
- Meenakshi, A.R. and S. Krishnamoorthy, On  $k$ -EP matrices 269 (1998) 219–232
- Meharmann, V., *see* Shader, B., 275–276 (1998) 1
- Meini, B., *see* Bini, D.A. 272 (1998) 1–16
- Merikoski, J.K. and A. Virtanen, Bounds for Eigenvalues using the trace and determinant 264 (1997) 101–108
- Merris, R., Laplacian graph eigenvectors 278 (1998) 221
- Meshulam, R. and N. Radwan, On linear subspaces of nilpotent elements in a Lie algebra 279 (1998) 195
- Messaoudene, M., The unit mass ball of three-vectors in  $\mathbb{R}^6$  265 (1997) 247–298
- Metz, V., Shorted operators: an application in potential theory 264 (1997) 439–455
- Meyer, R., Nonlinear Eigenvector algorithms for local optimization in multivariate data analysis 264 (1997) 225–246
- Meyer, C.D., *see* Hartfiel, D.J. 272 (1998) 193–203
- Micali, A. and M. Ouattara, Algèbres génétiques dimensionnellement nilpotentes 266 (1997) 271–290
- Michael, R.C., Exceptional modules are tree modules 275–276 (1998) 471
- Michaletsky, G., *see* Bolla, M. 269 (1998) 33–1365
- Michler, G., *see* Shader, B. 275–276 (1998) 1
- Miller, V.A., *see* Bevis, J.H. 265 (1997) 55–69
- Milstein, J., *see* Moeller, T.L. 274 (1998) 161–191

- Moeller, T.L. and J. Milsteine, Generalized algebraic structures for the representation of discrete systems 274 (1998) 161–191
- Mom, A., Eigenstructure of distance matrices with an equal distance subset 280 (1998) 245
- Mond, B., J. Pečarić, J. Šunde and S. Varošaneć, Operator versions of some classical inequalities 264 (1997) 117–126
- Mond, B., *see* Alić, M. 55–62
- Mondié, S., *see* Loiseau, J.J. 278 (1998) 327
- Molnár, L., *see* Györy 280 (1998) 253
- Montefusco, L.B., *see* Barnabei, M. 274 (1998) 367–388
- Móricz, F. and B.E. Rhoades, An equivalent reformulation of summability by weighted mean methods 268 (1998) 171–181
- Moro, J. and J. M. Vegas, Reduced stability of parameter-dependent matrices 268 (1998) 289–321
- Moro, J., *see* Borobia, A. 278 (1998) 287
- Moro, J., *see* Borobia, A. 266 (1997) 365–379
- Morris, N., *see* Grady, M. 262 (1997) 11–25
- Morris, W., *see* Fischer, K.G. 270 (1998) 231–253
- Moussa, O., *see* Micali, A. 266 (1997) 271–290
- Núñez-Valdés, J., *see* Gómez, J.R. 279 (1998) 1
- Nabben, R., *see* Elsner, L. 271 (1998) 321–341
- Nagy, B., *see* Förster, K.-H. 275–276 (1998) 189
- Nagy, B., *see* Förster, K.-H. 268 (1998) 41–57
- Narayan, S., *see* Fleming, R. 279 (1998) 39
- Neubauer, M.G., W. Watkins and J. Zeitlin, Notes on D-optimal designs 280 (1998) 109
- Neubauer, M.G., An inequality for positive definite matrices with applications to combinatorial matrices 267 (1997) 163–174
- Neudecker, H., *see* Kollo, T. 264 (1998) 489–493
- Neufeld, S., *see* Shen, J. 274 (1998) 411–426
- Neufeld, S., *see* Shen, J. 268 (1998) 117–129
- Neumaier, A., Scaling and structural condition numbers 263 (1997) 157–165
- Neumann, M., *see* Elsner, L. 271 (1998) 321–341
- Neumann, M., *see* Kirkland, S.J. 268 (1998) 183–196
- Ng, E.G., *see* Gilbert, J.R. 262 (1997) 83–97
- Ng, M.K., FFT-based exponentially weighted recursive least squares computations 263 (1997) 167–191
- Nichols, N.K., *see* Littleboy, D.M. 275–276 (1998) 359
- Nievergelt, Y., Schmidt-Mirsky matrix approximation with linearly constrained singular values 261 (1997) 207–219
- Niezgoda, M., An analytical characterization of effective and of irreducible groups inducing cone orderings 269 (1998) 105–114
- Niezgoda, M., Group majorization and Schur type inequalities 268 (1998) 9–30
- Niki, H., *see* Kohno, T. 267 (1997) 113–123
- Niki, H., *see* Li, B. 271 (1998) 179–190
- Nkiet, G.M., *see* Dauxois, J. 264 (1997) 355–388
- Noutsos, D., *see* Galanis, S. 263 (1997) 233–260
- Nylen, P., Null space structure of tree-patterned matrices 279 (1998) 153
- O'Meara, K.C., *see* Ara, P. 265 (1997) 147–163
- Okniński, J., Triangularizable semigroups of matrices 262 (1997) 111–118
- Olesky, D.D., *see* Iwata, S. 268 (1998) 345–354
- Olesky, D.D., *see* Johnson, C.R. 262 (1997) 243–257
- Olesky, D.D., *see* McDonald, J.J. 267 (1997) 359–373
- Olkin, I., A determinantal proof of the Craig-Sakamoto theorem 264 (1997) 217–223
- Olshevsky, V., *see* Kailath, T. 261 (1997) 49–90
- Ong, S.-C., *see* Fleming, R. 279 (1998) 39
- Ongenaë, V., *see* Dekimpe, K. 263 (1997) 349–375
- Onn, S., *see* Hwang, F.K. 278 (1998) 1
- Owens, D.H., *see* Galkowski, K. 275–276 (1998) 201
- Pühl, H., W. Schirotzek and M.R. Weber, On matrices satisfying a maximum principle with respect to a cone 277 (1998) 337
- Palacios, A.R., *see* Galindo, A.M. 269 (1998) 257–305
- Pang, C.-T., *see* Shih, M.-H. 274 (1998) 27–36
- Pardo, E., *see* Ara, P. 265 (1997) 147–163
- Park, S.-W., *see* Lee, S.-G. 269 (1998) 53–63
- Parlett, B.N., Spectral sensitivity of products of bidiagonals 275–276 (1998) 417
- Parthasarathy, T., R. Sridhar and B. Sriparna, On Lipschitzian  $Q_0$  and INS matrices 263 (1997) 193–199



- Partlett, B.N. and S.I. Dhillon, Fernando's Solution to Wilkinson's Problem: An application of double factorization 267 (1997) 247–279
- Patera, J., *see* Havlíček, M. 277 (1998) 97
- Pečarić, J., *see* Alić, M. 264 (1997) 55–62
- Pečarić, J., *see* Mond, B. 264 (1997) 117–126
- Pederzoli, G., *see* Mathai, A.M. 269 (1998) 91–103
- Pelantova, E., *see* Havlíček, M. 277 (1998) 97
- Peña, J.M., On the Schur and singular value decompositions of oscillatory matrices 261 (1997) 307–315
- Perea, C., *see* Climent, J.-J. 275–276 (1998) 77
- Petek, T. and P. Šemrl, Characterization of Jordan Homomorphisms on  $M_n$  using preserving properties 269 (1998) 33–46
- Picci, G., J.M. van den Hof and J.H. van Schuppen, Primes in several classes of the positive matrices 277 (1998) 149
- Pinkus, A., An interlacing property of eigenvalues of strictly totally positive matrices 279 (1998) 201
- Pisieh, G., Quadratic forms in unitary operators 267 (1997) 125–137
- Pittenger, A.O., Mappings of Latin squares 261 (1997) 251–268
- Plonka, G., *see* Berg, L. 275–276 (1998) 49
- Potts, D., G. Steidl and M. Tasche, Fast and stable algorithms for discrete spherical Fourier transforms 275–276 (1998) 433
- Prätzel-Wolters, D., *see* Hoffmann, J. 277 (1998) 63
- Psarrakos, P., *see* Maroulas, J. 267 (1997) 101–111
- Psarrakos, P., *see* Maroulas, J. 280 (1998) 97
- Puerta, F., *see* Ferrer, J. 275–276 (1998) 161
- Puerta, X., *see* Ferrer, J. 275–276 (1998) 161
- Putinar, M., Matrix analysis and the Friedrichs operator of a quadrature domain 270 (1998) 215–229
- Qiu, L., *see* Hu, T. 275–276 (1998) 287
- Qui, L., *see* Bernhardsson, B. 270 (1998) 131–154
- Quintana-Ortí, E.S., *see* Quintana-Ortí, G. 275–276 (1998) 451
- Quintana-Ortí, G. and E.S. Quintana-Ortí, Parallel codes for computing the numerical rank 275–276 (1998) 451
- Radwan, N., *see* Meshulam, R. 279 (1998) 195
- Ran, A.C.M., *see* Langer, H. 261 (1997) 317–352
- Ran, A.C.M., *see* Bolshakov, Y. 261 (1997) 91–141
- Rantzer, A., *see* Bernhardsson, B. 270 (1998) 131–154
- Rhee, N.H., *see* Horn, R.A. 270 (1998) 29–44
- Reichstein, B., *see* Bolshakov, Y. 261 (1997) 91–141
- Reinschke, K.J., *see* Röbenack, K. 263 (1997) 333–348
- Reinschke, K.J. and G. Wiedemann, Digraph characterization of structural controllability for linear descriptor systems 266 (1997) 199–217
- Reinschke, K.J., *see* Röbenack, K. 275–276 (1998) 495
- Resta, G., *see* Codenotti, B. 267 (1997) 65–100
- Rhoades, B.E., *see* Móricz, F. 268 (1998) 171–181
- Ricker, W.J., *see* Hillman, J.A. 267 (1997) 317–334
- Röbenack, K. and K.J. Reinschke, Graph-theoretically determined jordan-block-size structure of regular matrix pencils 263 (1997) 333–348
- Robinson, D.W., The image of the adjoint mapping 277 (1998) 143
- Roca, A. and I. Zaballa, Restricted invariant factor assignment under state-feedback 275–276 (1998) 509
- Roch, S. and B. Silbermann, A note on singular values of Cauchy-Toeplitz matrices 275–276 (1998) 531
- Rodman, L., *see* Bolshakov, Y. 261 (1997) 91–141
- Rogers, E., *see* Galkowski, K. 275–276 (1998) 201
- Rohn, J., Overestimations in bounding solutions of perturbed linear equations 262 (1997) 55–65
- Rosales, J.C. and P.A. Gargia-Sanchez, Non-negative elements of subgroups of  $\mathbb{Z}^n$  270 (1998) 351–357
- Rosário, F., *see* Da Silva, D.A.D. 271 (1998) 191–219
- Röbenack, K. and K.J. Reinschke, Digraph based determination of Jordan block size structure of singular matrix pencils 275–276 (1998) 495

- Rost, K. and Z. Vavřín, Inversion formulas and fast algorithms for Löwner–Vandermonde matrices 275–276 (1998) 537
- Rost, K., *see* Heinig, G. 275–276 (1998) 225
- Rothblum, U.G., *see* Hwang, F.K. 278 (1998) 1
- Rothblum, U.G., *see* Coppersmith, D. 263 (1997) 201–220
- Rothblum, U.J., *see* Hartfiel, D.J. 277 (1998) 1
- Rudolf, R., On Monge sequences in  $d$ -Dimensional arrays 268 (1998) 59–70
- Rump, S.M., Theorems of Perron-Frobenius type for matrices without sign restrictions 266 (1997) 1–42
- Rump, S.M., The sign-real spectral radius and cycle products 279 (1998) 177
- Rump, S.M., Structured perturbations and symmetric matrices 278 (1998) 121
- Sánchez-Giralda, T., *see* Carriegos, M. 279 (1998) 119
- Šunde, J., *see* Mond, B. 117–126
- Sabatier, R., *see* Leibovici, D. 269 (1998) 307–329
- Saberi, A., *see* Stoorvogel, A.A. 274 (1998) 317–365
- Sadkane, M., *see* Godunov, S.K. 279 (1998) 163
- Sadok, H., *see* Ballaij, M. 269 (1998) 183–195
- Sadok, H., *see* Heyouni, M. 268 (1998) 131–149
- SahaRay, R., *see* Bhimasankaram, P. 264 (1997) 329–339
- Salam, A., What is a vector Hankel determinant 278 (1998) 147
- Schirotzek, W., *see* Pühl, H. 277 (1998) 337
- Schmale, W., A symmetric approach to cyclization for systems over  $C[y]$  263 (1997) 221–232
- Schmale, W., Matrix cyclization over complex polynomials 275–276 (1998) 551
- Schneider, H. and H.F. Weinberger, On matrices for which norm bounds are attained 275–276 (1998) 563
- Schneider, H., *see* Hershkowitz, D. 265 (1997) 71–92
- Schneider, H., *See* Brualdi, R.A. 280 (1998) 1
- Schneider, H., Some personal reminiscences of Olga Taussky-Todd 280 (1998) 15
- Schwetlick, H., *see* Lösche, R. 275–276 (1998) 381
- Searle, S.R., The matrix handling of BLUE and BLUP in the mixed linear model 264 (1997) 291–311
- Seddik, A. and J. Charles, Sur l'image et le noyau d'une dérivation généralisée 274 (1998) 77–83
- Seidel, Jacob., *see* Bussemaker, F. 261 (1997) 275–292
- Šemrl, P., *see* Patek, T. 269 (1998) 33–46
- Seol, H.-G., *see* Lee, S.-G. 269 (1998) 53–63
- Sergeichuk, V.V., Unitary and Euclidean representations of a quiver 278 (1998) 37
- Serra, S., On the extreme Eigenvalues of Hermitian (Block) Toeplitz matrices 270 (1998) 109–129
- Serra, S., The extension of the concept of the generating function to a class of preconditioned Toeplitz matrices 267 (1997) 139–161
- Shader, B., V. Mehrmann, G. Michler and S. Kirkland, Preface 275–276 (1998) 1
- Shader, B.L., *see* Kirkland, S.J. 268 (1998) 183–196
- Shao, J.-Y. and S.-G. Hwang, Generalized exponents of non-primitive graphs 279 (1998) 207
- Shapiro, Y., Parallelizable approximate solvers for recursions arising in preconditioning 274 (1998) 211–237
- Schneider, H., Preface 280 (1998) 1
- Shapiro, H., Publications about Olga Taussky-Todd 280 (1998) 59
- Shapiro, H., Introduction 280 (1998) 5
- Shapiro, J., *see* Fischer, K.G. 270 (1998) 231–253
- Shekhtman, B., *see* Chalmers, B. 270 (1998) 155–169
- Shen, J. and S. Neufeld, Local exponents of primitive digraphs 268 (1997) 117–129
- Shen, J. and S. Neufeld, On a problem of Lewin 274 (1998) 411–426
- Shih, M.-H., Y.-Y. Lur and C.-T. Pang, An inequality for the spectral radius of an interval matrix 274 (1998) 27–36
- Shivakumar, P.N. and C. Ji, On the nonsingularity of matrices with certain sign patterns 273 (1998) 29–43
- Shukla, S., *see* Li, C.-K. 270 (1998) 323–349
- Sidi, A., Krylov subspace methods for eigenvalues with special properties and their analysis for normal matrices 280 (1998) 129
- Silbermann, B., *see* Didenko, V.D. 275–276 (1998) 121
- Silbermann, B., *see* Roch, S. 275–276 (1998) 531

- Silva, F.C., Possible block similarity classes of a matrix with a prescribed non-principal submatrix. II 262 (1997) 259-282
- Silva, F.C., *see* Martins, E.A. 262 (1997) 179-188
- Silva, F.C., On feedback equivalence and completion problems 265 (1997) 231-245
- Simonis, J., *see* Ashikhmin, A. 269 (1998) 197-217
- Singer, I., *see* Martínez-Legaz, J.-E. 278 (1998) 163
- Skula, L., Involutions for matrices and generalized inverses 271 (1998) 283-308
- Slapničar, I., Componentwise analysis of direct factorization of real symmetric and Hermitian Matrices 272 (1998) 227-275
- Smith, R.L., *see* Fallat, S.M. 277 (1998) 187
- Šemrl, P., *see* Györy, M. 280 (1998) 253
- Snyder, L.E., *see* Bapat, R.B. 261 (1997) 143-154
- So, W., *see* Day, J. 280 (1998) 289
- Soh, C.B., On the largest polytope of polynomials with a precise number of distinct real zeros 265 (1997) 173-183
- Song, S.-Z., *see* Cheon, G.-S. 269 (1998) 47-52
- Spanoudakis, N.K., Operators in finite distributive subspace lattices. III 262 (1997) 189-207
- Spitkovsky, I., *see* Li, C.-K. 270 (1998) 323-349
- Sreeram, V., *see* Liu, W.Q. 263 (1997) 377-388
- Sridhar, R., *see* Parthasarathy, T. 263 (1997) 193-199
- Sriparna, B., *see* Parthasarathy, T. 263 (1997) 193-199
- Stankus, M., *see* Agler, J. 274 (1998) 125-160
- Steidl, G., *see* Potts, D. 275-276 (1998) 433
- Stephens, M.A., *see* Anderson, T.W. 145-171
- Stepniak, C., Matrix loss in comparison of linear experiments 264 (1997) 341-348
- Stoorvogel, A.A. and A. Saberi, The discrete algebraic riccati equations and linear matrix inequality 274 (1998) 317-365
- Stott Parker, D., Schur complements obey Lambek's categorial grammar: Another view of Gaussian elimination and LU decomposition 278 (1998) 63
- Strang, G., Every unit matrix is a LULU 265 (1997) 165-172
- Straub, B., *see* Hillman, J.A. 267 (1997) 317-334
- Strauss, V.A., On an estimate of the Eigenvalues for an infinite-dimensional matrix and its application to the problem of the completeness of an eigenvector system of a completely continuous operator 274 (1998) 61-76
- Stuart, J.L. and J.R. Weaver, Fiedler matrices and their factorization 275-276 (1998) 579
- Styan, G.P.H., *see* Watson, G.S. 264 (1997) 13-53
- Sun, J., Sensitivity analysis of the discrete-time algebraic Riccati equation 275-276 (1998) 595
- Szulc, T., *see* Johnson, C.R. 272 (1998) 169-179
- Tam, T.-Y., Miranda and Thompson's trace inequality and a log convexity result 262 (1997) 307-325
- Tam, T.-Y., On Lei, Miranda, and Thompson's result on singular values and diagonal elements 272 (1998) 91-101
- Tartar, L. and A. Yakir, Similarity classes of affine maps 261 (1997) 155-165
- Tasçi, D. and S. Kirkland, A sequence of upper bounds for the perron root of a non-negative matrix 273 (1998) 23-28
- Tasche, M., *see* Potts, D. 275-276 (1998) 433
- Techene, J.-J., Les aspects fondamentaux de l'admissibilité en approximation quadratique d'applications linéaires 264 (1997) 389-419
- Temme, D., *see* Langer, H. 261 (1997) 317-352
- Ten Berge, J., M.F., *see* Bekker, P.A. 264 (1997) 255-263
- Terrell, W.J., An input-output representation for implicit linear time-varying systems 271 (1998) 221-234
- Thomassen, C., *see* Hjorth, P. 270 (1998) 255-273
- Thompson, R.C., *see* Day, J. 280 (1998) 289
- Tilli, P., Singular values and Eigenvalues of non-Hermitian block Toeplitz matrices 272 (1998) 59-89
- Tilli, P., Locally Toeplitz sequences: spectral properties and applications 278 (1998) 91
- Timmermann, G., *see* Lösche, R. 275-276 (1998) 381
- Tomaž, K., On the structure of commutative matrices. II 261 (1997) 293-305
- Tong, Y.L., The role of the covariance matrix in the least-squares estimation for a common mean 264 (1997) 313-323



- Torregrosa, J.R., *see* Jordán, C. 275-276 (1998) 315
- Travison, T., *see* Coleman, T. 271 (1998) 235-256
- Trenkler, G., *see* Groß, J. 264 (1997) 495-503
- Troschke, S.-O., *see* Groß, J. 264 (1997) 457-461
- Tsatsomeros, M.J., *see* Li, B. 261 (1997) 221-235
- Tsatsomeros, M.J., *see* Li, B. 271 (1998) 179-190
- Tsatsomeros, M.J., *see* McDonald, J.J. 267 (1997) 359-373
- Tusnády, G., *see* Bolla, M. 269 (1998) 331-365
- Tyrtshnikov, E.E. and N.L. Zamarashkin, Spectra of multilevel Toeplitz matrices: advanced theory via simple matrix relationships 270 (1998) 15-27
- Tyrtshnikov, E.E., A.Yu. Yeremin and N.L. Zamarashkin, Clusters Preconditioners Convergence: 263 (1997) 25-48
- Tyrtshnikov, E.E., *see* Goreinov, S.A. 261 (1997) 1-21
- Urbano, A., *see* Jordán, C. 275-276 (1998) 315
- Usui, M., *see* Kohno, T. 267 (1997) 113-123
- Vaish, A.K., *see* Chaganty, N.R. 264 (1997) 421-437
- Valcher, M.E., *see* Fornasini, E. 263 (1997) 275-310
- van Dam, E.R., A Cauchy-Khinchin matrix inequality 280 (1998) 163
- van den Driessche, P., *see* Fallat, S.M. 277 (1998) 187
- van den Driessche, P., *see* Iwata, S. 268 (1998) 345-354
- Van den Driessche, P., *see* Johnson, C.R. 262 (1997) 243-257
- van den Driessche, P., *see* McDonald, J.J. 267 (1997) 359-373
- van den Hof, J.M., *see* Picci, G. 277 (1998) 149
- Van Der Genugten, B.B., Testing in the restricted linear model using canonical partitions 264 (1997) 349-353
- van der Mee, C.M., *see* Bolshakov, Y. 261 (1997) 91-41
- Van Schangen, F., *see* Gohberg, I. 269 (1998) 65-89
- van Schuppen, J.H., *see* Picci, G. 277 (1998) 149
- Van, B.M. and A. Bultheel, A lookahead algorithm for the solution of block Toeplitz systems 266 (1997) 291-335
- Varga, A., Computation of coprime factorizations of rational matrices 271 (1998) 83-115
- Varošaneć, S., *see* Mond, B. 264 (1997) 117-126
- Vavřín, Z., *see* Rost, K. 275-276 (1998) 537
- Vegas, J.M., *see* Moro, J. 268 (1998) 289-321
- Vemuri, B.C., *see* Lai, S.-H. 265 (1997) 203-229
- Veselić, K., Estimating the operator exponential 280 (1998) 241
- Veselić, K., *see* Mathias, R. 270 (1998) 315-321
- Virtanen, A., *see* Merikoski, J.K. 264 (1997) 101-108
- Visick, G., Majorizations of Hadamard Products of matrix powers 269 (1998) 233-240
- Volaufová, J. and L.R. LaMotte, A note on invariant quadratics 264 (1997) 247-253
- Volenc, V., *see* Alić, M. 264 (1997) 55-62
- Voss, H., *see* Mackens, W. 275-276 (1998) 401
- Wang, B.-Y. and B.-Y. Xi, Some inequalities for singular values of matrix products 264 (1997) 109-115
- Wang, B.-Y. and F. Zhang, Chemnitz 1996 Conference report 275-276 (1998) 627
- Wang, B.-Y. and F. Zhang, On normal matrices of zeros and ones with fixed row sum 275-276 (1998) 617
- Wang, B.-Y., *see* Lei, T.-G. 279 (1998) 21
- Wang, D., On a trace inequality 273 (1998) 1-8
- Wang, L.-H. and Y.-X. Yuan, A stronger extension of the Hardy Inequality 270 (1998) 275-286
- Wang, X., Comparison theorems for a class of parallel multisplitting AOR type iterative methods 269 (1998) 1-16
- Wasin, S., *see* Horn, R.A. 270 (1998) 29-44
- Watkins, D.S., *see* Brenner, P. 272 (1998) 17-32
- Watkins, W., *see* Neubauer, M.G. 280 (1998) 109
- Watson, G.S., G. Alpargu and G.P.H. Styan, Some comments on six inequalities associated with the inefficiency of ordinary least squares with once regressor 264 (1997) 13-53
- Weaver, J.R., *see* Stuart, J.L. 275-276 (1998) 579
- Weber, M.R., *see* Pühl, H. 277 (1998) 337
- Wei, M. and A.R. De Pierro, Perturbation analysis of the canonical subspaces 279 (1998) 135

- Wei, M., *see* De Pierro, A.R. 277 (1998) 299
- Wei, M., Equivalent conditions for generalized inverses of products 266 (1997) 347–363
- Wei, M., *see* Xu, G. 279 (1998) 93
- Wei, M., Perturbation theory for the Eckart-Young-Mirsky theorem and the constrained total least squares problem 280 (1998) 267
- Wei, Y., A characterization and representation of the generalized inverse  $A_{T,S}^{(2)}$  and its applications 280 (1998) 87
- Weinberger, H.F., *see* Schneider, H. 275–276 (1998) 563
- Welfert, B., *see* Burrage, K. 279 (1998) 51
- Wiedemann, G., *see* Reinschke, K.J. 266 (1997) 199–217
- Wong, C.S., and H. Cheng, Vector majorization via nonnegative definite doubly stochastic matrices of maximum rank 261 (1997) 187–194
- Wu, D., *see* Lumsdaine, A. 272 (1998) 103–130
- Wu, Y. and Q. Li, On the matrix equation  $A^l + A^{l+k} = J_n$  277 (1998) 41
- Wu, Z.-M. and W.-M. Liu, Criterion of high-codimensional bifurcations with several pairs of purely imaginary Eigenvalues 267 (1997) 53–63
- Guo, W., Eigenvalues of nonnegative matrices 266 (1997) 261–270
- Xi, B.-Y., *see* Wang, B.-Y. 264 (1997) 109–115
- Xian, Z., *see* Cao, C. 278 (1998) 85
- Xiang, S., Notes on completely positive matrices 271 (1998) 273–282
- Xu, H., Two results about the matrix exponential 262 (1997) 99–109
- Xu, S.-F., Lower bound estimation for the separation of two matrices 262 (1997) 67–82
- Xu, G., M. Wei and D. Zheng, On solutions of matrix equation  $AXB + CYD = F$  279 (1998) 93
- Yakir, A., *see* Tartar, L. 261 (1997) 155–165
- Yang, Z., *see* Fujishige, S. 279 (1998) 75
- Yap, V.B., *see* Goh, S.S. 269 (1998) 139–157
- Yau, S.-T., *see* Cheng H.-W. 262 (1997) 131–163
- Yeh, L., *see* Chien, M.-T. 274 (1998) 389–410
- Yeh, Y.-T., *see* Chien, M.-T. 274 (1998) 389–410
- Yeremin, A.Yu., *see* Tyrtshnikov, E.E. 263 (1997) 25–48
- Yuan, J.Y., Iterative refinement using splitting methods 273 (1998) 215–226
- Yuan, Y.-X., *see* Wang, L.-H. 270 (1998) 275–286
- Zaballa, I., *see* Loiseau, J.J. 278 (1998) 327
- Zaballa, I., *see* Roca, A. 275–276 (1998) 509
- Zagalak, P., *see* Loiseau, J.J. 278 (1998) 327
- Zamarashkin N.L., *see* Tyrtshnikov, E.E. 263 (1997) 25–48
- Zamarashkin, N.L., *see* Goreinov, S.A. 261 (1997) 1–21
- Zamarashkin, N.L., *see* Tyrtshnikov, E.E. 270 (1998) 15–27
- Zeilman, B., *see* Gower, J.C. 278 (1998) 1
- Zeitlin, J., *see* Neubauer, M.G. 280 (1998) 109
- Zellini, P., *see* Di Fiore, C. 268 (1998) 197–225
- Zerz, E., *see* Hoffmann, J. 277 (1998) 63
- Zha, H. and Z. Zhang, A sorted partial Jacobi method and its convergence analysis 270 (1998) 79–108
- Zhang, F., *see* Wang, B.-Y. 275–276 (1998) 617
- Zhang, M.-C., *see* Hong, S.-F. 268 (1998) 355–364
- Zhang, X.-D., *see* Li, J.-S. 265 (1997) 93–100
- Zhang, Y., *see* Leng, G. 278 (1998) 237
- Zhang, Y.L., On the number of invariant polynomials of the product of matrices with prescribed similarity classes 277 (1998) 253
- Zhang, Y., S. Pang, Z. Jiao and W. Zhao, Group partition and systems of orthogonal idempotents 278 (1998) 249
- Zhang, Z. and M. Liu, An extension of the generalized Pascal matrix and its algebraic properties 271 (1998) 169–177
- Zhang, Z., *see* Zha, H. 270 (1998) 79–108
- Zheng, D., *see* Xu, G. 279 (1998) 93
- Zhu L., *see* Liu, J. 265 (1997) 123–145
- Ziermann, M., *see* Bolla, M. 269 (1998) 331–365
- Zizler, P., Norms of sampling operators 277 (1998) 291
- Zuidwijk, R., *see* Bart, H. 278 (1998) 195
- Zylka, C., *see* Kästner, J. 278 (1998) 133–265–290